



## Origin Acoustics Home Cinema Collection

### Ambisonic Marquee Dedicated Home Theater Systems



#### Complete Home Theater Setups with Required Amplifier Power



*Ambisonic Marquee Home Theater Systems must be installed with Origin PRO Amplifiers with ready-to-go dedicated DSP profiles, for a seamless, optimal listening experience.*

*The AM5600 LCR Speakers can be actively bi-amped with Origin PRO amps, both with DSPs specially crafted for the Ambisonic Marquee system.*

#### CUSTOMIZE YOUR OWN HOME THEATER SYSTEM



#### MARQUEE MODEL

AM56000W  
AM5600IW

**LEFT/ CENTER/ RIGHT**  
**Speaker (Bi-amped)**

AM36000W  
AM3600IW

**SURROUND**  
**Speaker**

AMD100WSUB  
AMD10IWSUB

**SUBWOOFER**

M2500IC

**Top OVERHEAD**  
**In-Ceiling Speaker**

REQUIRED AMP CHANNELS  
PER SPEAKER

2

1

1

1

IMPEDANCE

4 ohm

4 ohm

4 ohm

4 ohm

POWER HANDLING

250W - 500W

300W

500W

125W

REQUIRED AMP  
PLATFORM

**ProA1000.X**

**ProA1000.X**

**ProA1000.X**

**ProA250.X**

AMP POWER  
PER CHANNEL

500W (4 ohm)

500W (4 ohm)

500W (4 ohm)

125W (8 ohm)

AVAILABLE CHANNELS  
PER AMP (4/8 OHM)

ProA1000.4 (**8 CH**)  
ProA1000.2 (**4 CH**)  
ProA1000.1 (**2 CH**)

ProA1000.4 (**8 CH**)  
ProA1000.2 (**4 CH**)  
ProA1000.1 (**2 CH**)

ProA1000.4 (**8 CH**)  
ProA1000.2 (**4 CH**)  
ProA1000.1 (**2 CH**)

ProA250.4 (**8 CH**)  
ProA250.2 (**4 CH**)  
ProA250.1 (**2 CH**)

#### NOTES

**L/C/R Speaker** AM56000W / AM5600IW Power is limited in DSP pre-set to 250W for "Mid-Hi" driver. "LF" drivers receive 500W.  
(**CHANNEL 1:** Mid Hi 250W / **CHANNEL 2:** LF 500W)

**SURROUND Speaker** AM36000W / AM3600IW Power is limited in DSP pre-set to 300W for "Mid-Hi" driver.



## Origin Acoustics Home Cinema Collection

Ambisonic Marquee Dedicated Home Theater Systems



### SYSTEM BUNDLES PER WIRING & WATTS

#### 5.1.2 ATMOS CORE PERFORMANCE THEATER SYSTEM

##### AMPLIFIER 01

1 x ProA1000.4 Amplifier

3 x AM5600

**LEFT/ CENTER/ RIGHT Speakers** (Bi-amped)

**CHANNEL 1:** Mid Hi 250W (Left Speaker)

**CHANNEL 2:** LF 500W (Left Speaker)

**CHANNEL 3:** Mid Hi 250W (Right Speaker)

**CHANNEL 4:** LF 500W (Right Speaker)

**CHANNEL 5:** Mid Hi 250W (Center Speaker)

**CHANNEL 6:** LF 500W (Center Speaker)

2 x AM3600

**SURROUND Speakers**

**CHANNEL 7:** 300W (Left Speaker)

**CHANNEL 8:** 300W (Right Speaker)

##### AMPLIFIER 02

1 x ProA1000.1 Amplifier

1 x AMD10SUB **SUBWOOFER**

**CHANNEL 1:** 500W (Subwoofer)

**CHANNEL 2:** OPEN\*

(\*ONE extra channel available to incorporate ONE additional Subwoofer)

##### AMPLIFIER 03

1 x ProA250.1 Amplifier

2 x M2500IC

**Top MIDDLE OVERHEAD Speakers**

**CHANNEL 1:** 125W (Left Speaker)

**CHANNEL 2:** 125W (Right Speaker)







## Origin Acoustics Home Cinema Collection

Ambisonic Marquee Dedicated Home Theater Systems

### 5.1.4 ATMOS CORE PERFORMANCE THEATER SYSTEM

#### AMPLIFIER 01

1 x ProA1000.4 Amplifier

3 x AM5600

**LEFT/ CENTER/ RIGHT Speakers** (Bi-amped)

**CHANNEL 1:** Mid Hi 250W (Left Speaker)

**CHANNEL 2:** LF 500W (Left Speaker)

**CHANNEL 3:** Mid Hi 250W (Right Speaker)

**CHANNEL 4:** LF 500W (Right Speaker)

**CHANNEL 5:** Mid Hi 250W (Center Speaker)

**CHANNEL 6:** LF 500W (Center Speaker)

2 x AM3600

**SURROUND Speakers**

**CHANNEL 7:** 300W (Left Speaker)

**CHANNEL 8:** 300W (Right Speaker)

#### AMPLIFIER 02

1 x ProA1000.1 Amplifier

1 x AMD10SUB **SUBWOOFER**

**CHANNEL 1:** 500W (Subwoofer)

**CHANNEL 2:** OPEN\*

(\*ONE extra channel available to incorporate ONE additional Subwoofer)

#### AMPLIFIER 03

1 x ProA250.2 Amplifier

2 x M2500IC

**Top FRONT OVERHEAD Speakers**

**CHANNEL 1:** 125W (Left Speaker)

**CHANNEL 2:** 125W (Right Speaker)

2 x M2500IC

**Top REAR OVERHEAD Speakers**

**CHANNEL 3:** 125W (Left Speaker)

**CHANNEL 4:** 125W (Right Speaker)



## Origin Acoustics Home Cinema Collection

Ambisonic Marquee Dedicated Home Theater Systems

### 7.1.2 ATMOS ADVANCED FIDELITY THEATER SYSTEM

#### AMPLIFIER 01

1 x ProA1000.4 Amplifier

3 x AM5600

**LEFT/ CENTER/ RIGHT Speakers** (Bi-amped)

**CHANNEL 1:** Mid Hi 250W (Left Speaker)

**CHANNEL 2:** LF 500W (Left Speaker)

**CHANNEL 3:** Mid Hi 250W (Right Speaker)

**CHANNEL 4:** LF 500W (Right Speaker)

**CHANNEL 5:** Mid Hi 250W (Center Speaker)

**CHANNEL 6:** LF 500W (Center Speaker)

1 x AMD10SUB **SUBWOOFER**

**CHANNEL 7:** 500W (Subwoofer)

**CHANNEL 8:** OPEN\*

(\*ONE extra channel available to incorporate ONE additional Subwoofer)

#### AMPLIFIER 02

1 x ProA1000.2 Amplifier

2 x AM3600

**SURROUND Speakers**

**CHANNEL 1:** 300W (Left Speaker)

**CHANNEL 2:** 300W (Right Speaker)

2 x AM3600

**WIDE SURROUND Speakers**

**CHANNEL 3:** 300W (Left Speaker)

**CHANNEL 4:** 300W (Right Speaker)

#### AMPLIFIER 03

1 x ProA250.1 Amplifier

2 x M2500IC

**Top MIDDLE OVERHEAD Speakers**

**CHANNEL 1:** 125W (Left Speaker)

**CHANNEL 2:** 125W (Right Speaker)







## Origin Acoustics Home Cinema Collection

Ambisonic Marquee Dedicated Home Theater Systems

### 7.1.4 ATMOS ADVANCED FIDELITY THEATER SYSTEM

#### AMPLIFIER 01

1 x ProA1000.4 Amplifier

3 x AM5600

**LEFT/ CENTER/ RIGHT Speakers** (Bi-amped)

**CHANNEL 1:** Mid Hi 250W (Left Speaker)

**CHANNEL 2:** LF 500W (Left Speaker)

**CHANNEL 3:** Mid Hi 250W (Right Speaker)

**CHANNEL 4:** LF 500W (Right Speaker)

**CHANNEL 5:** Mid Hi 250W (Center Speaker)

**CHANNEL 6:** LF 500W (Center Speaker)

1 x AMD10SUB **SUBWOOFER**

**CHANNEL 7:** 500W (Subwoofer)

**CHANNEL 8:** OPEN\*

(\*ONE extra channel available to incorporate ONE additional Subwoofer)

#### AMPLIFIER 02

1 x ProA1000.2 Amplifier

2 x AM3600

**SURROUND Speakers**

**CHANNEL 1:** 300W (Left Speaker)

**CHANNEL 2:** 300W (Right Speaker)

2 x AM3600

**WIDE SURROUND Speakers**

**CHANNEL 3:** 300W (Left Speaker)

**CHANNEL 4:** 300W (Right Speaker)

#### AMPLIFIER 03

1 x ProA250.2 Amplifier

2 x M2500IC

**Top FRONT OVERHEAD Speakers**

**CHANNEL 1:** 125W (Left Speaker)

**CHANNEL 2:** 125W (Right Speaker)

2 x M2500IC

**Top REAR OVERHEAD Speakers**

**CHANNEL 3:** 125W (Left Speaker)

**CHANNEL 4:** 125W (Right Speaker)

### 7.2.6 ATMOS ADVANCED FIDELITY THEATER SYSTEM

#### AMPLIFIER 01

1 x ProA1000.4 Amplifier

3 x AM5600

**LEFT/ CENTER/ RIGHT Speakers (Bi-amped)**

**CHANNEL 1:** Mid Hi 250W (Left Speaker)

**CHANNEL 2:** LF 500W (Left Speaker)

**CHANNEL 3:** Mid Hi 250W (Right Speaker)

**CHANNEL 4:** LF 500W (Right Speaker)

**CHANNEL 5:** Mid Hi 250W (Center Speaker)

**CHANNEL 6:** LF 500W (Center Speaker)

2 x AMD10SUB **SUBWOOFERS**

**CHANNEL 7:** 500W (Left Subwoofer)

**CHANNEL 8:** 500W (Right Subwoofer)

#### AMPLIFIER 02

1 x ProA1000.2 Amplifier

2 x AM3600

**SURROUND Speakers**

**CHANNEL 1:** 300W (Left Speaker)

**CHANNEL 2:** 300W (Right Speaker)

2 x AM3600

**WIDE SURROUND Speakers**

**CHANNEL 3:** 300W (Left Speaker)

**CHANNEL 4:** 300W (Right Speaker)

#### AMPLIFIER 03

1 x ProA250.4 Amplifier

2 x M2500IC

**Top FRONT OVERHEAD Speakers**

**CHANNEL 1:** 125W (Left Speaker)

**CHANNEL 2:** 125W (Right Speaker)

2 x M2500IC

**Top MIDDLE OVERHEAD Speakers**

**CHANNEL 3:** 125W (Left Speaker)

**CHANNEL 4:** 125W (Right Speaker)

2 x M2500IC

**Top REAR OVERHEAD Speakers**

**CHANNEL 5:** 125W (Left Speaker)

**CHANNEL 6:** 125W (Right Speaker)

**CHANNEL 7:** OPEN\*

**CHANNEL 8:** OPEN\*

(\*TWO Extra channels available to incorporate TWO additional Height Speakers)



### 9.1.2 ATMOS ELITE CINEMA THEATER SYSTEM

#### AMPLIFIER 01

1 x ProA1000.4 Amplifier

3 x AM5600

**LEFT/ CENTER/ RIGHT Speakers** (Bi-amped)

**CHANNEL 1:** Mid Hi 250W (Left Speaker)

**CHANNEL 2:** LF 500W (Left Speaker)

**CHANNEL 3:** Mid Hi 250W (Right Speaker)

**CHANNEL 4:** LF 500W (Right Speaker)

**CHANNEL 5:** Mid Hi 250W (Center Speaker)

**CHANNEL 6:** LF 500W (Center Speaker)

1 x AMD10SUB **SUBWOOFER**

**CHANNEL 7:** 500W (Subwoofer)

**CHANNEL 8:** OPEN\*

(\*ONE Extra channel available to incorporate ONE additional Subwoofer)

#### AMPLIFIER 02

1 x ProA1000.4 Amplifier

2 x AM3600

**SURROUND Speakers**

**CHANNEL 1:** 300W (Left Speaker)

**CHANNEL 2:** 300W (Right Speaker)

2 x AM3600

**WIDE SURROUND Speakers**

**CHANNEL 3:** 300W (Left Speaker)

**CHANNEL 4:** 300W (Right Speaker)

2 x AM3600

**REAR SURROUND Speakers**

**CHANNEL 5:** 300W (Left Speaker)

**CHANNEL 6:** 300W (Right Speaker)

**CHANNEL 7:** OPEN\*

**CHANNEL 8:** OPEN\*

(\*TWO Extra channels available to incorporate TWO additional Subwoofers or Surrounds/Heights)

#### AMPLIFIER 03

1 x ProA250.1 Amplifier

2 x M2500IC

**Top MIDDLE OVERHEAD Speakers**

**CHANNEL 1:** 125W (Left Speaker)

**CHANNEL 2:** 125W (Right Speaker)

### 9.1.4 ATMOS ELITE CINEMA THEATER SYSTEM

#### AMPLIFIER 01

1 x ProA1000.4 Amplifier

3 x AM5600

**LEFT/ CENTER/ RIGHT Speakers** (Bi-amped)

**CHANNEL 1:** Mid Hi 250W (Left Speaker)

**CHANNEL 2:** LF 500W (Left Speaker)

**CHANNEL 3:** Mid Hi 250W (Right Speaker)

**CHANNEL 4:** LF 500W (Right Speaker)

**CHANNEL 5:** Mid Hi 250W (Center Speaker)

**CHANNEL 6:** LF 500W (Center Speaker)

1 x AMD10SUB **SUBWOOFER**

**CHANNEL 7:** 500W (Subwoofer)

**CHANNEL 8:** OPEN\*

(\*ONE Extra channel available to incorporate ONE additional Subwoofer)

#### AMPLIFIER 02

1 x ProA1000.4 Amplifier

2 x AM3600

**SURROUND Speakers**

**CHANNEL 1:** 300W (Left Speaker)

**CHANNEL 2:** 300W (Right Speaker)

2 x AM3600

**WIDE SURROUND Speakers**

**CHANNEL 3:** 300W (Left Speaker)

**CHANNEL 4:** 300W (Right Speaker)

2 x AM3600

**REAR SURROUND Speakers**

**CHANNEL 5:** 300W (Left Speaker)

**CHANNEL 6:** 300W (Right Speaker)

**CHANNEL 7:** OPEN\*

**CHANNEL 8:** OPEN\*

(\*TWO Extra channels available to incorporate TWO additional Subwoofers or Surrounds/Heights)

#### AMPLIFIER 03

1 x ProA250.2 Amplifier

2 x M2500IC

**Top FRONT OVERHEAD Speakers**

**CHANNEL 1:** 125W (Left Speaker)

**CHANNEL 2:** 125W (Right Speaker)

2 x M2500IC

**Top REAR OVERHEAD Speakers**

**CHANNEL 3:** 125W (Left Speaker)

**CHANNEL 4:** 125W (Right Speaker)







## Origin Acoustics Home Cinema Collection

Ambisonic Marquee Dedicated Home Theater Systems

### 9.2.6 ATMOS ELITE CINEMA THEATER SYSTEM

#### AMPLIFIER 01

1 x ProA1000.4 Amplifier

3 x AM5600

**LEFT/ CENTER/ RIGHT Speakers** (Bi-amped)

**CHANNEL 1:** Mid Hi 250W (Left Speaker)

**CHANNEL 2:** LF 500W (Left Speaker)

**CHANNEL 3:** Mid Hi 250W (Right Speaker)

**CHANNEL 4:** LF 500W (Right Speaker)

**CHANNEL 5:** Mid Hi 250W (Center Speaker)

**CHANNEL 6:** LF 500W (Center Speaker)

2 x AMD10SUB **SUBWOOFERS**

**CHANNEL 7:** 500W (Left Subwoofer)

**CHANNEL 8:** 500W (Right Subwoofer)

#### AMPLIFIER 02

1 x ProA1000.4 Amplifier

2 x AM3600

**SURROUND Speakers**

**CHANNEL 1:** 300W (Left Speaker)

**CHANNEL 2:** 300W (Right Speaker)

2 x AM3600

**WIDE SURROUND Speakers**

**CHANNEL 3:** 300W (Left Speaker)

**CHANNEL 4:** 300W (Right Speaker)

2 x AM3600

**REAR SURROUND Speakers**

**CHANNEL 5:** 300W (Left Speaker)

**CHANNEL 6:** 300W (Right Speaker)

**CHANNEL 7:** OPEN\*

**CHANNEL 8:** OPEN\*

(\*TWO Extra channels available to incorporate TWO additional Subwoofers or Surrounds/Heights)

#### AMPLIFIER 03

1 x ProA250.4 Amplifier

2 x M2500IC

**Top FRONT OVERHEAD Speakers**

**CHANNEL 1:** 125W (Left Speaker)

**CHANNEL 2:** 125W (Right Speaker)

2 x M2500IC

**Top MIDDLE OVERHEAD Speakers**

**CHANNEL 3:** 125W (Left Speaker)

**CHANNEL 4:** 125W (Right Speaker)

2 x M2500IC

**Top REAR OVERHEAD Speakers**

**CHANNEL 5:** 125W (Left Speaker)

**CHANNEL 6:** 125W (Right Speaker)

**CHANNEL 7:** OPEN\*

**CHANNEL 8:** OPEN\*

(\*TWO Extra channels available to incorporate TWO additional Height Speakers)



## Origin Acoustics Home Cinema Collection

Ambisonic Marquee Dedicated Home Theater Systems



### INDIVIDUAL SPEAKER MSRPS

AM56000W On-Wall LCR Speaker

MSRP: \$6,719 EA

AM36000W On-Wall Surround

MSRP: \$4,434 EA

AMD100WSUB On-Wall Subwoofer

MSRP: \$3,091 EA

M2500IC In-Ceiling Speaker

MSRP: \$2,580 EA

AM56000W In-Wall LCR Speaker

MSRP: \$7,256 EA

AM3600IW In-Wall Surround

MSRP: \$4,838 EA

AMD10IWSUB In-Wall Subwoofer

MSRP: \$3,359 EA



### INDIVIDUAL AMPLIFIER MSRPS

PROA1000.4 ORIGIN PRO AMPLIFIER

MSRP: \$4,999 EA

PROA1000.2 ORIGIN PRO AMPLIFIER

MSRP: \$2,957 EA

PROA1000.1 ORIGIN PRO AMPLIFIER

MSRP: \$2,097 EA

PROA250.4 ORIGIN PRO AMPLIFIER

MSRP: \$3,064 EA

PROA250.2 ORIGIN PRO AMPLIFIER

MSRP: \$1,774 EA

PROA250.1 ORIGIN PRO AMPLIFIER

MSRP: \$1,237 EA



### HOME THEATER SYSTEM BUNDLES

#### \$ 5.1.2 ATMOS CORE PERFORMANCE THEATER SYSTEM

On-Wall System: \$45,609 MSRP

In-Wall System: \$48,296 MSRP

#### 5.1.4 ATMOS CORE PERFORMANCE THEATER SYSTEM

On Wall System: \$51,306 MSRP

In Wall System: \$53,993 MSRP

#### \$ 7.1.2 ATMOS ADVANCED FIDELITY THEATER SYSTEM

On-Wall System: \$55,337 MSRP

In-Wall System: \$58,832 MSRP

#### 7.1.4 ATMOS ADVANCED FIDELITY THEATER SYSTEM

On-Wall System: \$61,034 MSRP

In-Wall System: \$64,529 MSRP

#### 7.2.6 ATMOS ADVANCED FIDELITY THEATER SYSTEM

On-Wall System: \$70,575 MSRP

In-Wall System: \$74,338 MSRP

#### \$ 9.1.2 ATMOS ELITE CINEMA THEATER SYSTEM

On-Wall System: \$66,247 MSRP

In-Wall System: \$70,550 MSRP

#### 9.1.4 ATMOS ELITE CINEMA THEATER SYSTEM

On-Wall System: \$71,944 MSRP

In-Wall System: \$76,247 MSRP

#### 9.2.6 ATMOS ELITE CINEMA THEATER SYSTEM

On-Wall System: \$81,485 MSRP

In-Wall System: \$86,056 MSRP



\*All product information is subject to change. Please refer to [docs.originacoustics.com](https://docs.originacoustics.com) for additional resources.

6975 S Decatur Blvd, Las Vegas, NV 89118 • [originacoustics.com](https://originacoustics.com) • 844-674-4461 • [sales@originacoustics.com](mailto:sales@originacoustics.com)

©2025 Origin Acoustics. All copyrighted, trademarked and patented elements mentioned herein are the sole property of Origin Acoustics..