

BLENDS™ INVISIBLE SPEAKERS





Boundaryless Listening Experience with Natural Depth Sound

Welcome to the Boundaryless Listening Experience with Natural Depth Sound.

Made possible through the new BLENDS invisible loudspeaker series: a unique sound solution in installations where the integrity of the room aesthetic cannot be compromised.





8" 3-WAY FULL RANGE SPEAKER SOLD AS PAIR



BLENDS802

8" 2-WAY FULL RANGE SPEAKER SOLD AS PAIR



BLENDS602

8" 2-WAY FULL RANGE SPEAKER SOLD AS PAIR



BLENDS800SUB

2-PANEL BASS-EXTENSION SYSTEM



BLENDSPH24

REUSABLE Placeholder

INVISIBLE INSTALL, HUGE SOUND

3-WAY OR 2-WAY SPEAKERS

REVOLUTIONARY DESIGN

The BLENDS invisible audio solutions are flexible, sold as pairs, easy to install, and deliver room-filling sound.

The three speaker models can be installed in walls or ceilings: an 8" 3-way speaker, an 8" 2-way speaker, or a 6.5" 2-way speaker.

Wide dispersion invisible speakers are the perfect solution to add to any lighting project—visually and acoustically—as they offer greater flexibility in installations than traditional architectural speakers.

Using the latest technology, the speaker drivers are revolutionarily installed within the wall structure. The result? A completely invisible sound emanating surface within the surrounding wall area that will WOW homeowners and design-first audio enthusiasts.



BLENDS™ INVISIBLE SPEAKERS



DIRECT-TO-STUD READY

The BLENDS series of invisible speakers share the same dimensions, making pre-wire and upgrades a breeze. These inceiling or in-wall invisibles are sold as pairs and offer large tapered edge panels that install precisely and swiftly direct-to-stud, ready for prefilling, taping and filling.

The speakers arrive with perfectly sized paper shims to match standard rear enclosures and ensure a perfect fit, every time. The factory installed back covers can be removed if extra space is needed.

CLEAN BASS EXTENSION

BACK BOXES

Add the completely invisible dual-panel BLENDS800SUB to any room for bass augmentation that's heard but never seen.

BLENDS will offer a full range of optional speaker back boxes sold separately—engineered for both demanding commercial and high-performance residential installations.

The BLENDSFBB is a purpose-built Protection Back Box with a 60-minute UL™ fire rating (coming soon). The wood and metal BLENDSMBB Back Box is designed specifically for masonry installations.

RECOMMENDED APPLICATIONS:

- Music & background ambiance
- Multi-Room Audio Systems
- Surround Sound/ATMOS
- Approved for limited outdoor applications and shower installations



ON-SITE FINISH OPTIONS INCLUDE:

- latex paint flat finish
- · orange peel texture
- light plaster light wallpaper
- light fabric wood veneer
- selected approved finishes

RECOMMENDED INSTALLATIONS:

Flush mounted in walls or ceilings constructed of wood or steel framing with ½" (13mm) or thicker gypsum wallboard.

RECOMMENDED AMPLIFICATION:

Origin PRO Amplifiers:• ProA250 Series We highly recommend installing with Origin PRO Amplifiers for a seamless optimal listening experience.

BLENDS™INVISIBLE SPEAKERS



SPECIFICATIONS

Product ID

High Frequency (HF) Driver Mid Frequency (MF) Driver Low Frequency (LF) Driver

Frequency Response **Power Capacity**

Sensitivity (1 watt / 1 meter) Protection

8" 3-WAY FULL RANGE SPEAKER

BLENDS803

1" (25mm) Neodymium transducer 11/8" (30mm) Neodymium transducer

1.5" (38 mm) voice coil 8" (203 mm) cone

20 oz. (567 gr) ceramic magnet

40Hz - 20kHz

80 Watts MIN | 160 Watts RMS

320 Watts PEAK

Three independent self-resetting devices (low, mid, and high-frequency)

Product ID

SPECIFICATIONS

High Frequency (HF) Driver Mid Frequency (MF) Driver Low Frequency (LF) Driver

Frequency Response **Power Capacity** Sensitivity (1 watt / 1 meter)

Protection

8" 2-WAY FULL RANGE SPEAKER

BLENDS802

1" (25 mm) Neodymium transducer

1.5" (38 mm) voice coil 8" (203 mm) cone

20 oz. (567 gr) ceramic magnet

45Hz - 20kHz

60 Watts MIN | 120 Watts RMS

Two independent self-resetting devices (low and high-frequency)

SPECIFICATIONS

Product ID

High Frequency (HF) Driver Mid Frequency (MF) Driver Low Frequency (LF) Driver

Frequency Response Power Capacity

Sensitivity (1 watt / 1 meter)

Protection

6.5" 2-WAY FULL RANGE SPEAKER

BLENDS602

11/8" (30mm) Neodymium transducer

1" (25 mm) voice coil 6.5" (165 mm) cone

15 oz. (425 gr) ceramic magnet

45Hz - 20kHz

50 Watts MIN | 100 Watts RMS

83 dB

Two independent self-resetting devices (low and high-frequency) Note: We highly recommend installing the BLENDS speakers with Origin PRO Amplifiers for a seamless, optimal listening experience.

SPECIFICATIONS

2-PANEL BASS-EXTENSION SYSTEM

20 oz. (567 gr) ceramic magnet

100 Watts MIN | 160 Watts RMS @

BLENDS800SUB

8" (203 mm) cone

30Hz - 150Hz

Product ID

High Frequency (HF) Driver N/A Mid Frequency (MF) Driver 1.5" (38 mm) voice coil

Low Frequency (LF) Driver

Frequency Response

Power Capacity (per pair)

Crossover Frequency

Sensitivity (1 watt / 1 meter)

40hm wired in parallel 86 dB

Requires amplifier, with low pass filter. 80Hz with 18 dB slope

recommended.

Protection N/A

SPECIFICATIONS

Source Input

ALL MODELS

Phoenix Connector

Included Accessories

Mounting shims Mounting screws

Polar Dispersion

170 degrees Horizontal & Vertical

Single Panel Impedance


8Ω nominal




Please visit docs.originacoustics.com or scan the QR code using your smart device for the most up to date specifications and use instructions for this product. Products may only be purchased through an authorized integration partner.


BLENDS™ INVISIBLE SPEAKERS







BLENDS803 • BLENDS802 • BLENDS602 • BLENDS800SUB



BLENDSPH24

DIMENSIONS ALL MODELS

Cutout Dimensions 16" x 24" (406 x 609mm)

Minimum Opening 9 ½" (241mm) (without back box) 9" (229mm)

Mounting Depth 2 ½" (64mm) (without back box)

20 YEAR WARRANTY! *

* The BLENDS Series is a completely invisible audio solution backed by Origin confidence and USA craftsmanship. Receive up to 20 years of warranty protection when BLENDS Invisible Speakers or Bass Extension Subs are installed with Origin PRO Amps and the recommended DSP configuration. (5-year warranty on all Blends speakers when NOT paired with an Origin Pro amplifier.)

Please visit docs.originacoustics.com for the most up-to-date warranty term conditions, DSP profiles, and product literature. Products may only be purchased through an authorized Origin Acoustics integration partner.



Please visit docs.originacoustics.com or scan the QR code using your smart device for the most up to date specifications and use instructions for this product. Products may only be purchased through an authorized integration partner.