

BLENDSTM INVISIBLE SPEAKERS



Boundaryless Listening Experience with Natural Depth Sound

Welcome to the Boundaryless Listening Experience with Natural Depth Sound.

Made possible through the new BLENDS invisible loudspeaker series: a unique sound solution in installations where the integrity of the room aesthetic cannot be compromised.




BLEND803
8" 3-WAY
FULL RANGE SPEAKER
SOLD AS PAIR



BLEND802
8" 3-WAY
FULL RANGE SPEAKER
SOLD AS PAIR



BLEND602
8" 3-WAY
FULL RANGE SPEAKER
SOLD AS PAIR



BLEND800SUB
2-PANEL
BASS-EXTENSION SYSTEM



BLENDSPH24
REUSABLE
PLACEHOLDER

**INVISIBLE INSTALL,
HUGE SOUND**

The BLENDS invisible audio solutions are flexible, sold as pairs, easy to install, and deliver room-filling sound.

**3-WAY OR 2-WAY
SPEAKERS**

The three speaker models can be installed in walls or ceilings: an 8" 3-way speaker, an 8" 2-way speaker, or a 6.5" 2-way speaker.

**REVOLUTIONARY
DESIGN**

Wide dispersion invisible speakers are the perfect solution to add to any lighting project—visually and acoustically—as they offer greater flexibility in installations than traditional architectural speakers.

Using the latest technology, the speaker drivers are revolutionarily installed within the wall structure. The result? A completely invisible sound emanating surface within the surrounding wall area that will WOW homeowners and design-first audio enthusiasts.



BLENDSTM

INVISIBLE SPEAKERS

DIRECT-TO-STUD READY

The BLENDS series of invisible speakers share the same dimensions, making pre-wire and upgrades a breeze. These in-ceiling or in-wall invisibles are sold as pairs and offer large tapered edge panels that install precisely and swiftly direct-to-stud, ready for prefilling, taping and filling.

The speakers arrive with perfectly sized paper shims to match standard rear enclosures and ensure a perfect fit, every time. The factory installed back covers can be removed if extra space is needed.

CLEAN BASS EXTENSION

Add the completely invisible dual-panel BLENDS800SUB to any room for bass augmentation that's heard but never seen.

BACK BOXES

BLENDS will offer a full range of optional speaker back boxes sold separately—engineered for both demanding commercial and high-performance residential installations.

The BLENDSFBB is a purpose-built Protection Back Box with a 60-minute UL™ fire rating (coming soon). The wood and metal BLENDSMBB Back Box is designed specifically for masonry installations.

RECOMMENDED APPLICATIONS:

- Music & background ambiance
- Multi-Room Audio Systems
- Surround Sound/ATMOS
- Approved for limited outdoor applications and shower installations



ON-SITE FINISH OPTIONS INCLUDE:

- latex paint • flat finish
- orange peel texture
- light plaster • light wallpaper
- light fabric • wood veneer
- selected approved finishes

RECOMMENDED INSTALLATIONS:

Flush mounted in walls or ceilings constructed of wood or steel framing with ½" (13mm) or thicker gypsum wallboard.

RECOMMENDED AMPLIFICATION:

Origin PRO Amplifiers: • ProA250 Series
We highly recommend installing with Origin PRO Amplifiers for a seamless optimal listening experience.

BLENDSTM INVISIBLE SPEAKERS



SPECIFICATIONS

Product ID

High Frequency (HF) Driver
Mid Frequency (MF) Driver
Low Frequency (LF) Driver

Frequency Response
Power Capacity

Sensitivity (1 watt / 1 meter)
Protection

8" 3-WAY FULL RANGE SPEAKER

BLEND803

1" (25mm) Neodymium transducer
1½" (30mm) Neodymium transducer
1.5" (38 mm) voice coil
8" (203 mm) cone
20 oz. (567 gr) ceramic magnet
40Hz - 20kHz
80 Watts MIN | 160 Watts RMS
320 Watts PEAK
83 dB
Three independent self-resetting devices (low, mid, and high-frequency)

Note: We highly recommend installing the BLEND speakers with Origin PRO Amplifiers for a seamless, optimal listening experience.

SPECIFICATIONS

Product ID

High Frequency (HF) Driver
Mid Frequency (MF) Driver
Low Frequency (LF) Driver

Frequency Response
Power Capacity (per pair)

Sensitivity (1 watt / 1 meter)
Crossover Frequency

Protection

2-PANEL BASS-EXTENSION SYSTEM

BLEND800SUB

N/A
N/A
1.5" (38 mm) voice coil
8" (203 mm) cone
20 oz. (567 gr) ceramic magnet
30Hz - 150Hz
100 Watts MIN | 160 Watts RMS @ 4ohm wired in parallel
86 dB
Requires amplifier, with low pass filter.
80Hz with 18 dB slope recommended.
N/A

SPECIFICATIONS

Product ID

High Frequency (HF) Driver
Mid Frequency (MF) Driver
Low Frequency (LF) Driver

Frequency Response
Power Capacity

Sensitivity (1 watt / 1 meter)
Protection

8" 2-WAY FULL RANGE SPEAKER

BLEND802

1" (25 mm) Neodymium transducer
N/A
1.5" (38 mm) voice coil
8" (203 mm) cone
20 oz. (567 gr) ceramic magnet
45Hz - 20kHz
60 Watts MIN | 120 Watts RMS
83 dB
Two independent self-resetting devices (low and high-frequency)

SPECIFICATIONS

Source Input

Included Accessories

Polar Dispersion

System Impedance

ALL MODELS

Phoenix Connector

Mounting shims
Mounting screws

170 degrees
Horizontal & Vertical

8Ω nominal
(Note: BLEND800SUB 2-panel Subwoofer System: both panels wired in parallel = 4ohm system)

SPECIFICATIONS

Product ID

High Frequency (HF) Driver
Mid Frequency (MF) Driver
Low Frequency (LF) Driver

Frequency Response
Power Capacity

Sensitivity (1 watt / 1 meter)
Protection

6.5" 2-WAY FULL RANGE SPEAKER

BLEND602



1½" (30mm) Neodymium transducer
N/A
1" (25 mm) voice coil
6.5" (165 mm) cone
15 oz. (425 gr) ceramic magnet
45Hz - 20kHz
50 Watts MIN | 100 Watts RMS
83 dB
Two independent self-resetting devices (low and high-frequency)

*SPECIFICATIONS SUBJECT TO CHANGE




Please visit docs.originacoustics.com or scan the QR code using your smart device for the most up to date specifications and use instructions for this product. Products may only be purchased through an authorized integration partner.

BLENDS™ INVISIBLE SPEAKERS



BLENDS803 • BLENDS802 • BLENDS602 • BLENDS800SUB



BLENDSPH24

DIMENSIONS

ALL MODELS

Cutout Dimensions	16" x 24" (406 x 609mm)
Minimum Opening (without back box)	9 1/2" (241mm) 9" (229mm)
Mounting Depth (without back box)	2 1/2" (64mm)

20 YEAR WARRANTY! *

* The BLENDS Series is a completely invisible audio solution backed by Origin confidence and USA craftsmanship. Receive up to 20 years of warranty protection when BLENDS Invisible Speakers or Bass Extension Subs are installed with Origin PRO Amps and the recommended DSP configuration. **(5-year warranty on all Blends speakers when NOT paired with an Origin Pro amplifier.)**

Please visit docs.originacoustics.com for the most up-to-date warranty term conditions, DSP profiles, and product literature. Products may only be purchased through an authorized Origin Acoustics integration partner.



Please visit docs.originacoustics.com or scan the QR code using your smart device for the most up to date specifications and use instructions for this product. Products may only be purchased through an authorized integration partner.