



EASY, PORTABLE, REALITIFILI

A slight departure from traditional architectural loudspeakers, soundbars are a new necessity. Simple to install, our passive soundbars are a massive improvement over your flat panel's internal audio system. Add a floor standing or architectural subwoofer, and you'll be enjoying your television like never before.

#### PRODUCT ID



The SBR41 & SBR41-LCR are single channel enclosures that can be placed on the Left, Right, or in the Center above or below the video display; or three can be placed in a linear row above or below the video display. The SBR43-50C is a single center channel enclosure. The remaining SBR43-50 to SBR43-85 models contain all three channels: Left, Center and Right.

Our InstaWidth™ Soundbar Range has been specially developed to extend and can be adjusted in order to exact match any model of TV from 50" to 85" widths, for the ideal visual symmetry within a space.



The drivers are mounted in extruded aluminum enclosures and can be mounted on the wall, or attached to a third-party mount connected directly to the video display. Regardless of your choice of mounting and position, the Soundbar and LCR's will deliver pristine music and movie soundtracks and compliment your home theater experience.



#### **SPECIFICATIONS ALL MODELS**

Woofers 3 ½" Fiber Glass 1" Silk DPSD™ Tweeter Frequency Response 65Hz - 20kHz Impedance  $4 \Omega$  per Channel Power RMS / Peak 75 Watts / 150 Watts 90 dB

Sensitivity

Enclosure Aluminum Cabinet

Height & Depth 6" H x 2 <sup>9/16</sup>" D (152 H x 65 D mm)


MODEL	PART	CHANNELS & FEATURES	LENGTH
SBR41	SBR41000	1 { 1 Tweeter   1 Woofer }	11 <sup>7/8</sup> " - 12 <sup>7/8</sup> " [302 - 327 mm]
SBR41-LCR	SBR41LCR	1 { 1 Tweeter   2 Woofers }	16 <sup>1/16</sup> " - 17 <sup>1/16</sup> " [409 - 434 mm]
SBR43-50C	SBR4350C	1 { 1 Tweeter   2 Woofers   4 Passive Radiators }	<b>42</b> <sup>1/16</sup> - <b>43</b> <sup>1/16</sup> [1070 - 1095 mm]
SBR43-50	SBR43500	3 { 3 Tweeters   6 Woofers }	<b>42</b> <sup>1/16</sup> - <b>43</b> <sup>1/16</sup> [1070 - 1095 mm]
SBR43-55	SBR43550	3 { 3 Tweeters   6 Woofers }	<b>48</b> <sup>3/16</sup> <b>'' - 49</b> <sup>3/16</sup> [1225 - 1250 mm]
SBR43-60	SBR43600	3 { 3 Tweeters   6 Woofers }	<b>52</b> <sup>5/8</sup> " <b>- 53</b> <sup>5/8</sup> " [1339 - 1364 mm]
SBR43-65	SBR43650	3 { 3 Tweeters   6 Woofers }	<b>56</b> <sup>7/16</sup> - <b>57</b> <sup>7/16</sup> [1435 - 1460 mm]
SBR43-70	SBR43700	3 { 3 Tweeters   6 Woofers }	60 <sup>3/4</sup> '' - 61 <sup>3/4</sup> '' [1545 - 1570 mm]
SBR43-75	SBR43750	3 { 3 Tweeters   6 Woofers }	65 <sup>1/8</sup> " - 66 <sup>1/8</sup> " [1654 – 1680mm]
SBR43-80	SBR43800	3 { 3 Tweeters   6 Woofers }	<b>69</b> <sup>7/16</sup> - <b>70</b> <sup>7/16</sup> [1765 - 1790 mm]
SBR43-85	SBR43850	3 { 3 Tweeters   6 Woofers }	73 <sup>15/16</sup> 11 - 74 <sup>15/16</sup> 11 [1880 - 1905 mm]



<sup>\*</sup>All product specifications are subject to change. Please refer to the dealer portal for the latest information.



#### LINE DRAWINGS




SBR41



### INSTAWIDTH<sup>TM</sup> SOUNDBARS






SBR41-LCR





### INSTAWIDTH<sup>TM</sup> SOUNDBARS



#### LINE DRAWINGS







SBR43-50C





#### LINE DRAWINGS 2.90in 2.60in 73.68mm 66.04mm 50: 1068.0mm [42.05in] 55: 1223.3mm [48.16in] 60: 1337.0mm [52.64in] 65: 1432.8mm [56.41in] 70: 1543.0mm [60.75in] 75: 1653.8mm [65.11in] 80: 1763.0mm [69.41in] 6.00in 85: 1877.3mm [73.91in] 152.40mm

SBR43-50 TO SBR43-85

Please see originacoustics.com for most the most updated information concerning these specifications. Products may only be purchased through an authorized integration partner.

