



# HIGH PERFORMANCE FULL YARD SOUND SYSTEMS

## A GUIDE TO YOUR PREPLANNED LANDSCAPE AUDIO OPTIONS

### DISCREET STYLING



### TITANIUM TWEETERS




### PASSIVE RADIATORS




# PREPLANNED OUTDOOR SYSTEMS


**SITEONE LS KIT 1** • Approx. 1,500 SQFT




**SITEONE LS KIT 3** • Approx. 3,000 SQFT



**SITEONE LS KIT 2** • Approx. 2,500 SQFT



**SITEONE LS KIT 4** • Approx. 3,500+ SQFT



# TRUSTED & EXPERIENCED PREPLANNED PACKAGES



**SITEONE LS KIT 1**

**APPROX. 1,500 SQFT**

- 1 x L-300 Amplifier
- 1 x SOLSUB10 Burial/Hardscape Sub.
- 4 x SOLSAT4 Landscape Speakers (Integrated Stakes)



**SITEONE LS KIT 3**

**APPROX. 3,000 SQFT**

- 1 x L-300 Amplifier
- 1 x S11BP-IG Burial Subwoofer
- 2 x LS64 Landscape Speakers
- 2 x LSL S Stakes



**SITEONE LS KIT 2**

**APPROX. 2,500 SQFT**

- 1 x L-300 Amplifier
- 1 x SOLSUB10 Burial/Hardscape Sub.
- 8 x SOLSAT4 Landscape Speakers (Integrated Stakes)



**SITEONE LS KIT 4**

**APPROX. 3,500 SQFT +**

- 2 x L-300 Amplifiers
- 1 x S11BP-IG Burial Subwoofer
- 4 x LS64 Landscape Speakers
- 4 x LSL S Stakes



# SITEONE LS KIT 1 & 2 FEATURES



**BURIAL OR HARDSCAPE**



**SPIKES INCLUDED**




**DISCREET STYLING**



**TWO-WAY DESIGN**

- ✂ • Simple, fast & flexible installation, with easy expandability
- ⚡ • Coaxial two way speakers
- ✓ • Sound can be directed inwards/ eliminating disturbances to surrounding neighbors
- 💧 • IPX6 Rated - Engineered to withstand any conditions from 4 ° to 176 °F (-15.5 ° to 80 °C)

- ✓ • Mounting spikes included
- ✓ • Burial speaker wire sold separately



Your 2 conductor wire is all that's needed to plant the Kit 1 or 2 directly into your landscape. The SOLSAT4 satellite speakers come with rust-proof HDPE stakes attached that spike right into a foundation of rock, grass, and soil with ease. The 10" dual voice coil subwoofer body can be embedded underground or used over hardscape, providing resounding bass.

# SITEONE LS KIT 3 & 4 FEATURES



**THUNDERPOUNDING BASS**



**HIGH DEFINITION AUDIO**





**PASSIVE RADIATORS**



**TITANIUM TWEETERS**

- ✂ • Cover more area than twice the LSAT count
- ✓ • Deep Resounding Bass
- 🌱 • Tree mount or surface mount options
- ✓ • All mounting hardware included
- ✓ • Burial speaker wire sold separately



The bullet-style LS64 landscape loudspeaker provides just what you need for outdoor audio: rock-solid IPX6 build, premium drivers, heavy-duty 50W 70V taps, and flexible mounting hardware. With the powerful Ambisonic S11BP-1G burial subwoofer and L-300 amp, the entire system can be dialed in for a fantastic result.


From a simple sub & sat system near the patio, to a massive design with numerous subs and satellites covering literally acres of landscape, the scalability is essentially limitless. Any coverage and performance parameters you can imagine are now possible.

# L-300 AMPLIFIER FEATURES

The new L-300 amplifier has been designed and engineered to deliver the best possible "Audiophile" quality sound.

Featuring 2 channels of clean power for many outdoor applications and designed with an IP-66 All-Weather Steel enclosure finish. Easily connects through

Bluetooth to your digital devices allowing you to play music content from your favorite streaming services or personal catalogs.



-  • All Weather Robust Stainless Steel enclosure IP-66
-  • Link Multiple Systems
-  • Bluetooth 5.0 Connectivity
-  • BTL Bridge mode switch
-  • 120Hz LPF switch: to use as subwoofer amp
-  • Line in and out on Phoenix connectors
-  • Input sensitivity volume knob for matching gain to source (preamp)
-  • High Fidelity Performance
-  • Simple installation & wiring



<b>COMPONENT</b>	<b>L-300</b>
<b>CHANNELS</b>	2 Channels: 150W @ 8Ω   250W @ 4Ω
<b>MOUNTING</b>	Surface Mount
<b>CONNECTIVITY</b>	Bluetooth
<b>FINISH</b>	All Weather IP66
<b>DIMENSIONS</b>	7" W x 6.25" D x 12.75" H
<b>FEATURES</b>	<ul style="list-style-type: none"> <li>• 120Hz LPF switch as subwoofer amp</li> <li>• BTL Bridge mode switch</li> <li>• Input sensitivity</li> </ul>



# ADDITIONAL SOLUTIONS & DESIGNS



# SITEONE LS KITS 1 & 2 SPECIFICATIONS

## KIT 1

## KIT 2



COMPONENT	SOLSAT4	SOLSUB10
WOOFER	4.25" Polypropylene	10" Dual Voice-Coil Polypropylene
TWEETER	0.75" PEI	N/A
FREQ. RESPONSE	90Hz-20kHz +/-10dB	35Hz - 150Hz +/-10dB
POWER HANDLING	120W - 240W	120W - 240W
IMPEDANCE	Kit 8 $\Omega$ Nominal	Kit 8 $\Omega$ Nominal
SPL	87dB +/- 3dB	N/A
FINISH	Weather & UV Resistant ABS	Sealed Enclosure for Low Bass Extension
DIMENSIONS	18" H x 5 3/4" W x 7 1/16" D	12 7/8" H x 15 3/4" Dia

### SOLSAT4 SOLSUB10





60° Dispersion Range 360° Dispersion Range

# SITEONE LS KITS 3 & 4 SPECIFICATIONS

## KIT 3

## KIT 4



★ L-300 Subwoofer Amp: Engage LPF  
 Note: Only Engage LPF when using L-300 Subwoofer Amp on the SITEONE LS Kit 4

COMPONENT	LS64	S11BP-IG
WOOFER	6" Poly, Passive Radiator	11" Dual Voice Coil Polypropylene
TWEETER	1" Titanium	N/A
FREQ. RESPONSE	60Hz-20kHz +/-3dB	41Hz - 150Hz +/-3dB
POWER HANDLING	50W RMS   150W Peak	200W x 2 AES   400W x 2 Peak
IMPEDANCE	8 $\Omega$ or 70 V	8 $\Omega$ or 70 V
SPL	106dB	N/A
FINISH	Rugged Injected Molded Plastic	Rubber Surround Dark Brown Canopy
DIMENSIONS	11"L x 7"Dia x 7"H	12 3/16" Dia x 23" H   17" Dia x 8 7/16" Canopy

### LS64 S11BP-IG



90° Dispersion Range 360° Dispersion Range

# WHEN THE BEST SOUND MATTERS...

## CHOOSE A CUSTOMIZED LANDSCAPE AUDIO DESIGN

Let our Design Services team design you the ideal sound coverage for your landscape audio system. With our expertise & experience, we can suggest the ideal type of system for your scenario and set up, and pinpoint specific listening areas and zones. We will specify the correct speaker placement & direction for each situation, adjusting each design to achieve the highest sound experience; for full quality and even coverage, without disturbing your neighbors.



The goal is to discreetly hide satellite speakers and subwoofers out of sight within plants, shrubs and trees while not compromising any performance. We will provide you with a system speaker position plan illustrating exactly where your satellite speakers and subwoofers will be placed within your landscape, to easily visualize your custom sound coverage before installation.

You'll be able to see your oasis before it's built.



DSP-700



LSR60



6.5HD



Make sure your next outdoor installation blows your clients away.

Send design requests to: [design@originacoustics.com](mailto:design@originacoustics.com)

## THE BEST CHOICE.



**SiteOne**<sup>®</sup>  
LANDSCAPE SUPPLY

Limited Lifetime Warranty on SOLSCAPE & SOLSAT4 (KITS 1&2)

5 Year Limited Warranty on LS64 (KITS 3 & 4)

3 Year Limited Warranty on S11BP-IG (KITS 3 & 4)


3 Year Limited Warranty on L-300 Amp (KITS 1 - 4)

# Adept SoundScape™


## TRUSTED & EXPERIENCED PREPLANNED KITS

Recognizing the importance of subtle, enveloping sound that can elevate one's connection within outdoor spaces, we developed Adept SoundScape™ turn-key landscape system. Featuring an ultra-contemporary design, the SiteOne LS Kits were carefully engineered to bring the same clear, hi-fidelity sound of an indoor stereo system into our outdoor spaces with exceptional broad coverage.

### SITEONE LS KIT 1



### SITEONE LS KIT 2







BURIAL OR HARDSCAPE



SPIKES INCLUDED



DISCREET STYLING



TWO-WAY DESIGN



L-300 2 CHANNEL AMP


## SITEONE LS KIT 1 APPROX. 1,500 SQFT

- 1 x L-300 Amplifier
- 1 x SOLSUB10 Burial/Hardscape Subwoofer
- 4 x SOLSAT4 Landscape Speakers with Integrated Stakes

## SITEONE LS KIT 2 APPROX. 2,500 SQFT

- 1 x L-300 Amplifier
- 1 x SOLSUB10 Burial/Hardscape Subwoofer
- 8 x SOLSAT4 Landscape Speakers with Integrated Stakes

- Simple, fast & flexible installation, with easy expandability
- Coaxial two way speakers
- Mounting spikes included
- Sound can be directed inwards/ eliminating disturbances to surrounding neighbors
- IPX6 Rated - Engineered to withstand any conditions from 4 ° to 176 °F (-15.5 ° to 80 °C)



### L-300 AMP FEATURES

The new L-300 amplifier has been designed and engineered to deliver the best possible "Audiophile" quality sound. Featuring 2 channels of clean power for many outdoor applications and designed with an IP-66 All-Weather Steel enclosure finish. Easily connects through Bluetooth to your digital devices allowing you to play music content from your favorite streaming services or personal catalogs.

- All Weather Robust Stainless Steel enclosure IP-66
- Link Multiple Systems
- Bluetooth 5.0 Connectivity
- BTL Bridge mode switch
- 120Hz LPF switch: to use as subwoofer amp
- Line in and out on Phoenix connectors
- Input sensitivity volume knob for matching gain to source (preamp)
- High Fidelity Performance
- Simple installation & wiring

COMPONENT  
CHANNELS  
MOUNTING  
CONNECTIVITY  
FINISH  
DIMENSIONS  
FEATURES

#### L-300

2 Channels: 150W @ 8Ω | 250W @ 4Ω

Surface Mount

Bluetooth

All Weather IP66

7" W x 6.25" D x 12.75" H

- 120Hz LPF switch as subwoofer amp
- BTL Bridge mode switch
- Input sensitivity

