



OVERVIEW

The Composer Collection complements the room with a modern and slim bezel-less frame. Regardless of form, the fit and finish of Origin speakers are as clean and impressive as their sound quality. Once installed the speakers become a part of the environment where they disappear unless, of course, your pride of ownership moves you to point them out.

PRODUCT ID











LCR69

LCR67

LCR65

LCR39

LCR37

DPSD™ TWEETER



This patented tweeter design that improves high-frequency performance, and that prevents distortion and increases loudness. This secondary stabilization allows the driver to be crossed over at a much lower frequency resulting in improved dispersion and decreased distortion.

COMPRESSION MOLDED BASKETS



Using time tested and true technique of compression molding, we designed and produced woofer baskets that are both highly stable and acoustically neutral. The result is a reduction in distortion without coloration from the basket itself.

125 Watts

6 ohm



<u>SPECIFICATIONS</u> Cutout Dimensions	LCR60 SERIES 6 5/8 x 14 3/8" (168 x 364 mm)	<u>LCR30 SERIES</u> 4 ^{1/4} x 9 ^{1/4} " (108 x 235 mm)
Speaker Dimensions	7 ^{1/2} x 15 ^{1/2} " (190 x 390 mm)	5 ^{1/4} x 10 ^{1/4} " (133 x 260mm)
Grille Dimensions	7 ^{7/8} x 15 ^{5/8} " (200 x 397 mm)	5 ^{7/8} x 12 ^{1/4} " (149 x 310 mm)
Mounting Depth	3 ^{3/4} " (95 mm)	3 ^{3/4} " (95 mm)

SPECIFICATIONS	LCR69	LCR67	LCR65
Part Woofer Tweeter Frequency Response	SWML14900 2 x 6 ^{1/2} " Kevlar® 1" Silk DPSD™ 51Hz-20kHz	SWML14700 2 x 6 ^{1/2} " Glass Fiber 1" Silk DPSD™ 53Hz-20kHz	SWML14500 2 x 6 ^{1/2} " IMG 1" Silk DPSD™ 55Hz-20kHz
Power RMS Power Peak Impedance	40 Watts 150 Watts 6 ohm	40 Watts 150 Watts 6 ohm	40 Watts 150 Watts 6 ohm
SPECIFICATIONS	LCR39	LCR37	
Part Woofer Tweeter Frequency Response Power RMS	SWML10900 2 x 3 ^{1/2} " Kevlar® 1" Silk DPSD™ 70Hz-20kHz 35 Watts	SWML10700 2 x 3 ^{1/2} " Glass Fiber 1" Silk DPSD™ 70Hz-20kHz 35 Watts	



Power Peak

Impedance


Please visit docs.originacoustics.com or scan the QR code using your smart device for the most up to date specifications and use instructions for this product. Products may only be purchased through an authorized integration partner.

125 Watts

6 ohm



LINE DRAWINGS




LCR65 | LCR67 | LCR69



Please visit docs.originacoustics.com or scan the QR code using your smart device for the most up to date specifications and use instructions for this product. Products may only be purchased through an authorized integration partner.



LINE DRAWINGS





Please visit docs.originacoustics.com or scan the QR code using your smart device for the most up to date specifications and use instructions for this product. Products may only be purchased through an authorized integration partner.