



IN-CEILING DUAL 8" BAND-PASS SUBWOOFER

OVERVIEW

Our Director Dual 8" In-Ceiling Subwoofer includes a 6" Bandpass Port Tube, Tool-Less Installation with Port Adaptor, BR68 New-Construction Bracket, and a round bezel-less magnetic grill; matching any Director 6" & 8" Speakers.

PRODUCT ID



DSUB8F8K

WIDER BANDPASS PORT-TUBE

The DSUB8 features a wider port-tube, which allows even lower, more powerful frequencies to resonate. It contains dual poly/rubber woofers, mounted in a sturdy MDF box. The frequencies they create are then filtered by the port and port-tube into the room through a matching Director grille. This method ensures that only pure, deep bass tones are passed into the room.

LARGER WOOFERS

These two heavy-duty poly/rubber subwoofer cones, come, internally mounted, and contain more than 3x the surface area of our DUB6's, which means they move more air, more efficiently.

The result is the type of low-end volume and frequencies that a 12" floor-standing subwoofer would typically create.





IN-CEILING DUAL 8" BAND-PASS SUBWOOFER

HIDE IT

Our Director Subwoofers are designed to be fully functional, self-contained passive subwoofers. They install securely to ceiling joists, but can also be used in cabinets, trucks, or pretty much anywhere else you can think of.

The bandpass port-tube and sturdy construction reduce noise transfer, so the only thing left rattling at high-volume will be your ribcage.

CLEAN, POWERFUL BASS

Only audible worthy bass frequencies pass through the port of the DSUB8 from the bandpass to deliver a powerful listening experience. This ensures power is strictly utilized in creating the true fidelity low-end output.

DUELING EFFORT

Two high-density aluminum woofers sit across from one another inside of the subwoofer enclosure. As a result, the output is enhanced while distortion and cabinet vibrations are significantly reduced.

MULTI-FINISH OPTIONS

As expected with all Origin Acoustics speakers, the DSUB8 delivers high performance audio while remaining completely concealed from plain sight with a sleek, paintable bezel-less magnetic grille. It also comes with grilles in both square and round finishes to match perfectly with designer recessed lighting.





IN-CEILING DUAL 8"







BAND-PASS SUBWOOFER

SPECIFICATIONS

DSUB8F8K

Part	DSUB8F80K
Woofer Cone	Polypropylene
Woofer Dimensions	Dual 8" (203mm)
Frequency Response	37Hz - 200 Hz \pm 3dB 29 - 200 Hz \pm 10dB
Impedance	8 ohm
Power Handling	150 Watts
Depth	9 ⁷ / ₁₆ " (240mm)
Dimensions	14" Width x 22" Length x 9 ⁷ / ₁₆ " Depth (356 Width x 559mm Length x 240 Depth)
Grille Diameter	10" (254mm)
Cutout Diameter	8 ³ / ₄ " (222mm)
Mounting Depth	9 ⁷ / ₁₆ " (240mm)

LINE DRAWINGS



Please visit docs.originacoustics.com or scan the QR code using your smart device for the most up to date specifications and use instructions for this product. Products may only be purchased through an authorized integration partner.